



"Compresores portátiles, directos, correas y de tornillo.

Compresores portátiles, directos, correas y de tornillo.

Compresores portátiles, directos, correas y de tornillo."

UNICAIR
COMPRESORES
COMPRESSORS
COMPRESSEURS

FENIX MC SERIE100

sin aceite
oil-less
sans huile

**CONDOR SERIE 150**

sin aceite
oil-less
sans huile

**CS-1.0/3L**

sin aceite
oil-less
sans huile

SILENCIOSO
SILENT
SILENCIEUX

FENIX MC SERIE100	CONDOR SERIE 150	CS-1.0/3L
1/4 Hp.	1,5 Hp.	1 Hp.
0,8 L.	6 L.	3 L.
9 bar.	8 bar.	8 bar.
45 L./min.	165 L./min.	135 L./min.
3.500	3.500	1.400
225x287x130 mm.	320x300x350 mm.	370x340x390 mm.
4,8 Kg.	9 Kg.	18 Kg.
70 Db	97 Db.	62 Db



CD-1,5/ 6L

lubricado
oil
lubrifié



CD-2/ 24L

lubricado
oil
lubrifié



CD-2,5/ 50L

lubricado
oil
lubrifié

	CD-1,5/ 6L	CD-2/ 24L	CD-2,5/ 50L
	1,5 Hp.	2 Hp.	2,5 Hp.
	6 L.	24 L.	50 L.
	8 bar.	8 bar.	8 bar.
	124 L./min.	198 L./min.	250 L./min.
	2.850	2.850	2.850
	460x220x450 mm.	530x300x570 mm.	720x390x690 mm.
	16 Kg.	24 Kg.	37 Kg.
	97 Db.	97 Db.	97 Db.



CC-3/50L

lubricado
oil
lubrifié

CC-3/100L

lubricado
oil
lubrifié

CC-4/200L

lubricado
oil
lubrifié

CC-5.5/270L

lubricado
oil
lubrifié



CC-3/50L	CC-3/100L	CC-4/200L	CC-5.5/270L
3 Hp. (Monof.)	3 Hp. (Monof.)	4 Hp. (Trif.)	5,5 Hp. (Trif.)
50 L.	100 L.	200 L.	270 L.
8 bar.	8 bar.	10 bar.	10 bar.
356 L./min.	356 L./min.	450 L./min.	550 L./min.
2.850	2.850	2.900	2.900
850x420x680 mm.	1.000x460x840 mm.	1.230x460x1.030 mm.	1.500x500x1.070 mm.
50 Kg.	65 Kg.	134 Kg.	190 Kg.
97 Db.	97 Db.	96 Db.	96 Db.

