

78, RUE DE LA ROYENNE
B-7700 MOUSCRON
TEL +32 (0)56 85 20 85
FAX +32 (0)56 84 58 22
info@gammawopla.com

RC/HR TOURNAI 82312
TVA/BTW BE 0460.680.813

Service Center España
E-Business
Paseo de la Zona Franca 137-139
Planta 1 · Módulo 11
08038 Barcelona

Declaration of suitability for plastic materials and articles intended to come into contact with food

Dear Customer,

We declare that the products with reference:

E6432-2020-PP55	10753216	BOX 60x40x32 CM OPEN SIDES (E6432-00)
E6440-5120-PP55	23091214	BOX 60x40x40 CM CLOSED SIDES (E6440-51)
E6401-46-PP55	23099157	LID 600/400 (AC) WITH 2 HINGES - WITH 2 CLIPS (E6401-46)

manufactured by Gamma-Wopla SA in various sizes and colors and marked with the specific food logo, 

are suitable for repeated use in contact with food, according to the planned applications and in the state in which they are sold

The products are in accordance with the European guidelines

- 2006/2023/CE (GMP),
- 2004/1935/CE
- 2011/10/CE et their amendements

The products are manufactured using manufacturing processes and raw plastic materials (PP, HDPE or other thermoplastic polymers), suitable, controlled and compliant with the current regulations. They are produced in monolayers of raw material.

By normal use, these products respect the limits of global migration (maximum 10 mg/dm²) in accordance with the European Regulation EC 2011/10 mentioned in article 18 and annex V chapter 2.

The conditions of the test of global migration are as followed: 10 days at temperature of 40°C in contact with the simulants A, B and D2. The ratio between exposed surface (dm²) and liquid volume of the simulant (ml) is 1.

All products who respect the global migration of 10 mg/dm² with simulants A, B en D2, are therefore suitable for :

- ❖ All types of food
- ❖ Repeated contact and prolonged storage of food substances at room temperature or lower.
- ❖ Contact of maximum 2 hours when heating up to 70° C.
- ❖ Contact of maximum 15 minutes when heating up to 100° C.

The temperature range for handling is between - 20 C° and + 40 C° in case of normal use

The end user of the products bought at Gamma-Wopla SA, has his own responsibility to examine himself all exceptions, who are common to the properties and the storage of their nutrients.


This declaration is effective as of the date specified below and will be replaced by substantial changes of the process en by update of the actual European regulations. In those cases a new declaration will be formulated and supplied for the referring products.

Sincerely yours

Moeskroen (B) , 01/01/2021

Fritz Verspeelt
Quality dep.
Gamma-Wopla SA





Spécifications / Specifications / Specificaties / Spezifikationen

Code article / article code / artikelcode / Artikelcode	E6432-2020
Type bac / box type / type bak / Behältertyp	Euronorme / Euronorm / Eurobehälter
Couleur standard / standard colour / standaardkleur / Standard-Farbe	Gris / grey / grijs / grau
Fond / bottom / bodem / Boden	Ajouré / perforated / geperforeerd / perforiert
Parois / sides / wanden / Wände	Ajouré / perforated / geperforeerd / perforiert
Poignées / handles / handgrepen / Handgriffe	2X ouvertes / open / offen
Porte-etiquette / labelholder / etikethouder / Etikettenhalter	Disponible en option / available as option / verkrijgbaar als optie / verfügbar in Option
Dimensions externes / external dimensions / buitenafmetingen / Außenmaß	600x400x320 mm
Dimensions internes / internal dimensions / binnenafmeting / Innenmaß	555x355x315 mm
Volume / Volumen	60 l
Poids / Weight / Gewicht	2170 gr
Charge maximale / Max. carrying capacity / max. draaglast / max. Traglast	20 kg
Matière / raw material / grondstof / Rohstoff	PP



Spécifications / Specifications / Specificaties / Spezifikationen

Code article / article code / artikelcode / Artikelcode	E6440-5120
Type bac / box type / type bak / Behältertyp	Euronorme / Euronorm / Eurobehälter
Couleur standard / standard colour / standaardkleur / Standard-Farbe	Gris / grey / grijs / grau
Fond / bottom / bodem / Boden	Fermé / closed / gesloten / geschlossen
Parois / sides / wanden / Wände	Fermés / closed / gesloten / geschlossen
Poignées / handles / handgrepen / Handgriffe	2X ouvertes / open / offen
Porte-etiquette / labelholder / etikethouder / Etikettenhalter	Disponible en option / available as option / verkrijgbaar als optie / verfügbar in Option
Dimensions externes / external dimensions / buitenafmetingen / Außenmaß	600x400x400 mm
Dimensions internes / internal dimensions / binnenafmeting / Innenmaß	550x355x395 mm
Volume / Volumen	76 l
Poids / Weight / Gewicht	3170 gr
Charge maximale / Max. carrying capacity / max. draaglast / max. Traglast	25 kg
Matière / raw material / grondstof / Rohstoff	PP



Spécifications / Specifications / Specificaties / Spezifikationen

Code article / article code / artikelcode / Artikelcode	E6401-46
Type bac / box type / type bak / Behältertyp	Euronorme / Euronorm / Eurobehälter
Couleur standard / standard colour / standaardkleur / Standard-Farbe	Gris / grey / grijs / grau
Dimensions externes / external dimensions / buitenafmetingen / Außenmaß	600x400x16 mm
Poids / Weight / Gewicht	865 gr
Matière / raw material / grondstof / Rohstoff	PP